

EXCLUSIVE OFFER OF MASTER GEARS

We would like to offer you a huge set of master gears as described in detailed tables below. In case of your interest or any questions, do not hesitate to contact us.

SPUR GEARS



Module /m/	Pressure angle /α/	Lead angle /β/	Number of teeth /z/	Quality (DIN)	Hole diameter in mm
1	20°	0°	48	3	22
1	15°	0°	120	4	20
1	20°	0°	120	4	30
1,5	20°	0°	54	3	32
2	20°	0°	40	3	32
2	20°	0°	40	3	32
2	20°	0°	40	3	32
2	20°	0°	60	4	30
2	20°	0°	40	4	32
2,5	20°	0°	48	3	32
2,5	20°	0°	48	3	32
2,5	20°	0°	48	3	32
2,5	20°	0°	37	3	32
3	20°	0°	34	3	32
3	20°	0°	38	3	32
3	20°	0°	40	3	30
4	20°	0°	23	3	40
4	20°	0°	29	3	32
4,5	20°	0°	34	3	45
5	20°	0°	30	4	45
5	20°	0°	29	3	32
5,5	20°	0°	28	3	45
6	20°	0°	23	3	32
6	20°	0°	23	3	32
7	20°	0°	23	4	40

HELLICAL GEARS



(L = left; R = right)

Module /m/	Pressure angle / α /	Lead angle / β /	Number of teeth /z/	Quality (DIN)	Hole diameter in mm
2	20°	15°R	38	3	32
2	20°	15°L	38	3	32
2	20°	20°R	38	3	32
2	20°	20°L	38	3	32
2,5	20°	20°R	44	3	32
2,5	20°	20°R	38	3	32
2,5	20°	20°L	44	3	32
2,5	20°	20°L	44	3	32
2,5	20°	15°R	32	3	32
3	20°	18°R	36	4	32
3	20°	15°R	38	4	32
3	20°	20°R	36	3	32
3	20°	12°R	38	3	32
3	20°	12°L	38	3	32
3	20°	11°R	24	3	45
3	20°	20°L	34	3	32
3	20°	18°R	36	3	32
3,5	20°	20°L	30	3	32
3,5	20°	10°R	32	3	32
3,5	20°	10°L	32	3	32
3,5	20°	25°L	30	3	32
3,5	20°	25°R	30	3	32
3,5	20°	15°L	32	3	32
3,5	20°	20°R	30	3	32
4	20°	12°R	38	3	45
4	20°	20°L	38	3	45
4	20°	20°R	34	3	45
4	20°	15°R	29	3	45
4	20°	12°L	38	3	45
4,5	20°	15°R	34	4	40
4,5	20°	10°R	34	3	45
4,5	20°	10°L	34	3	45
5	20°	20°R	23	3	45
5	20°	20°L	28	3	45
5	20°	10°L	30	3	45
6	20°	10°R	34	3	45
6	20°	10°L	34	3	45
6	20°	15°L	32	3	40
7	20°	10°L	28	3	45

Collection of pictures



Certificate of accuracy can be provided with every master gear on your demand.
All the offered gears are used but still in a very good condition.

Möchten Sie mehr Informationen?
Kontakt: J. Hildebrandt
Tel. +49 (0) 201 4306007 • Email: <mailto:service@gearmachines.de>